

Road Edge Aluminium

Product Guide



Road Edge Aluminium

Product Guide



LANDSCAPE DEPOT

Description:

In situations where design, practicality and extreme durability are required, Road Edge Aluminium provides the versatile and economical solution. This tough edging accommodates a wide range of substrates and has a vast range of profile heights available. It provides the ultimate solution in landscape edging.

Applications:


- Gravel Pathways
- Paving
- Tarmacadam
- Resin bound gravel
- Concrete
- Safety surfaces
- Curved edges
- Straight edges

Features:

- Heavy duty aluminium
- Alloy construction
- Very durable
- Very resistant in extreme weather conditions
- Flexible, lightweight and strong
- Multiple fixing positions

Features:

- Easy to cut
- Easy to install
- Does not rust, rot or crack
- Non toxic, non magnetic
- Non sparking
- Environmentally friendly
- 100% recyclable



Road Edge Aluminium

Product Guide




LANDSCAPE DEPOT

Specification

Length	Height A	Height B	Thickness	Weight	Stakes Length
2,30 lm	20 mm	45 mm	5.5 mm	1.15 kg	5
2,30 lm	40 mm	45 mm	5.5 mm	1.50 kg	5
2,30 lm	50 mm	45 mm	6 mm	1.65 kg	5
2,30 lm	65 mm	45 mm	6 mm	1.90 kg	5
2,30 lm	75 mm	70 mm	6.5 mm	2.6 kg	5
2,30 lm	100 mm	70 mm	7 mm	3.35 kg	5
2,30 lm	120 mm	70 mm	7 mm	4.20 kg	5
2,30 lm	150 mm	70 mm	8.5 mm	5.80 kg	5

Composition : Aluminium 6060/63 A Fixation by steel stakes of 7.5 mm diameter per 250 mm length.



Aluminium edging for heavy duty landscape use.

Profile length: 2.3m

Profile height: 20mm, 40mm, 50mm, 65mm, 75mm, 100mm, 120mm, 150mm.

Profile thickness: 5.5mm - 8.5mm

Fixing method: 5 x Steel pegs, 250mm long x 7.5mm dia.

Includes 1 x concealed joiner.

